



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME I

New names, and the final members of new combinations, are in **bold face type**.

- Aties*, 190, 215, 265; *balsamea*, 201; *pectinata*, 266
Abronia umbellata, 230
Abutilon incanum, 95
Acacia, 194
Acarospora, 90, 93, 94, 96, 97, 98; *Carnegiei*, 88, 94; *cervina cinereo-alba*, 88; *cineracea*, 88, 92; *xanthophana*, 88, 92, 94, 96; *xanthophana dealbata*, 88, 92
Acer, 179, 185, 188, 201, 204
Actaea alba, 231
 Additions to the mycological herbarium, Noteworthy, 218, 274
Adelia ligustrina, 236; *segregata*, 236
Aecidiaceae, 209
Aecidium, 241, 252; *Blasdaleanum*, 252, 253; *cornutum*, 241; *houstoniatum*, 237; *macrosporum*, 244; *Napeae*, 251
Agaricus bulbosus, 149; *campestris*, 37, 260
Agoseris, 245; *glauca*, 245, 256
Agropyron, 249; *biflorum*, 249, 251, 256; *caninum*, 251
Agrostis, 248
Ailanthus glandulosa, 168
Albugo bliti, 121; *Portulacae*, 121
Allantonectria, 177, 181; *Yuccae*, 181
Alnus, 190, 266
Alphitomorpha Alni, 269
Aithaea rosea, 232
Amanita, 85; *phalloides*, 258
Amanitopsis vaginata, 83, 85
Amaranthus retroflexus, 121; *spinosus*, 121
Ambrosia trifida, 21, 45, 124, 229, 230, 231, 243
Amelanchier, 113, 208, 252; *Botryapium* 242; *canadensis*, 252; *erecta*, 239, 241, 255; *intermedia*, 240, 256; *vulgaris*, 242
America, A new *boletus* from tropical, 218
Amorpha, 185; *fruticosa*, 230
Ampelopsis, 185
Amphiloma, 30; *elegans*, 30
Andromeda, 191
Andropogon glomeratus, 232; *scoparius*, 231
Anemone caroliniana, 271; *virginiana*, 231
Anthracnose, The perfect stage of the cotton, 115
Apios tuberosa, 232
Apocynum cannabinum, 59, 231
Aquilegia, 249, 250; *caerulea*, 250; *canadensis*, 249, 256; *elegantula*, 250; *flavescens*, 250; *formosa*, 250; *truncata*, 250
Arabis Holboellii, 229
Armillaria mellea, 2
Aronia, 227, 241, 242; *nigra*, 239, 241, 256; *rotundifolia*, 242
Artemisia, 243; *dracunculoides*, 230, 243, 256
Arthonia, 29
Arthur, J. C., Cultures of Uredineae in 1908, 225
Arundinaria, 202
Ascobolus, 105, 110; *immersus*, 110
Ascomycetes, 268
Ascomycetes and lower fungi—
 Fascicle II, 121; *III*, 268
Ascophanus, 105, 109; *carneus*, 109, *cinereus*, 109, *testaceus*, 109
Aster, 232; *arenoides*, 232; *Drummondii*, 230, 232, 233; *multiflorus*, 232; *paniculatus*, 229, 230, 232, 233
Astragalus, 270, 271; *carolinianus*, 270
Atheropogon curtipendulus, 231
Atractium flammeum, 179
Atriplex hastata, 235, 255
Auerswaldia, 161; *arengae*, 161; *chamaeropsis*, 162; *densa*, 163; *Guilielmae*, 163; *lagenaria*, 74; *palmicola*, 162; *rimosa*, 162
 Bacterial disease of the peach, A, 23
Bacterium Pruni, 26, 27
Bactrospora, 106, 112; *dryina*, 112
Baptisia tinctoria, 251
Basidiophora Kellermanii, 121
Benzoin Benzoin, 125
Berberis, 185, 232, 247; *Aquifolium*, 247; *ripens*, 247; *vulgaris*, 231, 247
Betula, 166, 168, 187, 191, 266
Biatora, 90, 94; *myriocarpoides*, 90
Bidens frondosa, 124
Bjerkandera adusta, 164; *fumosa*, 164
Blytridium fenestratum, 106, 113, 121
Boletaceae, 4, 275

- Boletaceae from Kentucky, 275; of North America, The —I, 4; II, 140
- Boletellus**, 4, 9; **Ananas**, 10
- Boletinellus**, 4, 7; **castanellus**, 8; **merulioides**, 6, 7, 275; **paluster**, 8
- Boletinus**, 4, 5; **appendiculatus**, 5, 6; **Berkeleyi**, 5, 6, 275; **borealis**, 7; **castanellus**, 8; **cavipes**, 5; **decepiens**, 6; **grisellus**, 5, 6; **paluster**, 8; **pictus**, 5, 6; **porosus**, 7; **spectabilis**, 5, 6, 7
- Boletopsis**, 5
- Boletus**, 4, 10; **acidus**, 11; **affinis**, 149; **albellus**, 145; **alboater**, 16; **albus**, 13; **alutaceus**, 154; **alveolatus**, 17, 18; **amabilis**, 10, 11; **americanus**, 13; **ampliporus**, 5; **Ananas**, 10; **annulatus**, 11; **Atkinsoni**, 149; **aurantiacus**, 140, 146; **auriflammeus**, 147; **auripes**, 149; **auriporus**, 147; **badiiceps**, 155; **Bakeri**, 156; **Betula**, 144; **bicolor**, 152; **bovinus unicolor**, 11; **brevipes**, 13; **caespitosus**, 147; **castaneus**, 14; **cavipes**, 5; **chamaeleontinus**, 17; **chromapes**, 145; **chrysenteron**, 155; **circinans**, 12; **Clintonianus**, 10, 12; **coccineus**, 9; **collinitus**, 13; **communis**, 153, 155; **conicus**, 146; **coniferus**, 9; **constrictus**, 14; **crassipes**, 149, 150, 153; **cubensis**, 156, 219; **Curtisii**, 150; **cyaneus**, 14; **decepiens**, 6; **decorus**, 149; **dichrous**, 152; **dictyocephalus**, 156; **eccentricus**, 156; **edulis**, 18, 149; **elbensis**, 11; **esculentus**, 149; **eximius**, 148; **felleus**, 15; **ferruginatus**, 150; **ferrugineus**, 15; **firmus**, 17; **fistulosus**, 150; **flavidus**, 13; **flavipes**, 153; **flaviporus**, 147; **flavus**, 10; **flexuosipes**, 145; **fraternus**, 155; **Frostii**, 17; **frustulosus**, 145; **fulvus**, 148, 156; **fumosipes**, 154; **glabellus**, 152; **gracilis**, 16; **granulatus**, 12; **griseus**, 145; **guadalupensis**, 156, 219; **hemichrysus**, 148; **hirtellus**, 14; **ignoratus**, 156; **illudens**, 154; **indecisus**, 15; **inflexus**, 150; **innixus**, 147; **isabellinus**, 10; **lacteus**, 14; **lactifluus**, 12; **lateralis**, 7; **leprosus**, 149, 150; **leptocephalus**, 156; **lignatilis**, 157, 219; **limatulus**, 149; **luridus**, 16, 17; **luteus**, 10, 11; **magnisporus**, 17; **mineato-olivaceus**, 152; **modestus**, 15; **Morgani**, 144; **Morrisii**, 157; **multipunctus**, 153; **mutabilis**, 157; **nebulosus**, 157; **nigrellus**, 16; **niveus**, 146; **nobilis**, 149; **ornatipes**, 151; **pallidus**, 152; **paluster**, 8; **parasiticus**, 148; **parvus**, 18; **Peckii**, 151; **pictus**, 6; **peratus**, 150; **Pocono**, 157; **punctipes**, 13; **radicosus**, 157; **Ravenelii**, 9; **retipes**, 151; **rimosellus**, 157; **robustus**, 148, 157, 219; **roseotinctus**, 151; **Roxanae**, 153; **rubeolaris**, 17; **rubeus**, 152; **rubinellus**, 157; **rubropunctus**, 150; **rugosiceps**, 153; **Russellii**, 144; **salmonicolor**, 11; **Satanas**, 17; **scaber**, 3, 146; **scabripes**, 153; **sensibilis**, 152; **separans**, 149; **serotinus**, 12; **Sistotrema**, 150; **sordidus**, 155; **speciosus**, 151; **sphaerosporus**, 10, 11; **Spraguei**, 7, 17; **squammulosus**, 152; **squarrosus**, 9; **strobilaceus**, 8; **strobiliformis**, 9; **stygius**, 9; **subaureus**, 13; **subglabripes**, 153; **subluteus**, 11; **subpunctipes**, 158; **subsanguineus**, 158; **subtomentosus**, 5, 153; **subvelutipes**, 17; **Sullivantii**, 17; **tabacinus**, 151; **tenuiculus**, 155; **tomentipes**, 154; **tuberosus**, 17; **umbrosus**, 155; **Underwoodii**, 17; **unicolor**, 158; **Vanderbiltianus**, 146; **variipes**, 149; **vermiculosus**, 17; **versipellis**, 146; **viridarius**, 12
- Boletus** from tropical America, A new, 218
- Boltonia asteroides**, 230
- Botryosphaeria pulicaris**, 196; **Quercuum**, 268
- Botrytis parasitica**, 270; **pygmaea**, 271; **viticola**, 271
- Bouteloua racemosa**, 231
- Brassica**, 63
- Bromus**, 248; **Porteri**, 248, 249, 256; **Pumpellianus**, 248, 249; **purgans**, 236, 255; **Richardsoni**, 249
- Buellia**, 94; **concinna**, 88; **lepidostrea**, 88, 92; **myriocarpa**, 90; **sp.**, 88
- Bull pine seedlings**, A species of *Discosia* on living, 215
- Cacalia reniformis**, 229, 230, 232
- Callirhoe**, 251; **involucrata**, 229, 232, 252, 256
- Callistephus hortensis**, 232
- Calonectria**, 42, 44, 67, 69; **Atkinsonii**, 201; **balsamea**, 200; **canadensis**, 199; **cerea**, 69; **chlorinella**, 201; **Cucurbitula**, 200; **Curtisii**, 69; **Dalmaniana**, 67; **Dearnessii**, 68; **diminuta**, 67, 68; **erubescens**, 67, 69; **guarapiensis**, 68, 69; **melioloides**, 67, 68; **muscivora**, 193
- Calycanthus**, 185
- Capparidaceae**, 235
- Cardamine bulbosa**, 235
- Carex**, 244; **comosa**, 228, 243, 245, 256; **gravida**, 230; **lurida**, 233, 255; **pennsylvanica**, 229; **pratensis**, 245, 246, 256; **sp.**, 230; **sparganioides**,

- 233, 255; *stenophylla*, 243; *stipitata*, 233, 254; *vulpinoidea*, 229
- Carpinus*, 191
- Carya*, 178, 185, 191, 205
- Castanea dentata*, 122
- Caulophyllum thalictroides*, 231
- Ceanothus americanus*, 251
- Celastrus*, 185
- Celtis pallida*, 95; *sinensis*, 164
- Cenangium*, 106, 113; *furfuraceum*, 113, 268
- Cephalanthus occidentalis*, 236, 255
- Cephalosporium*, 71
- Cerasus*, 266, 267
- Ceratostoma*, 72; *biparasiticum*, 73; *chioneum*, 73; *lagenarium*, 74
- Cercospora*, 23; *Davisii*, 268
- Ceriumyces*, 5, 140; **affinis**, 149, 275; **albellus**, 145; **auriflammeus**, 147, 275; **auriporus**, 147, 275; **Betula**, 144, 145, 275; **bicolor**, 152, 158, 275; **chromapes**, 145, 158; **communis**, 154, 155, 157, 219; **conicus**, 146, 147; **crassus**, 141, 156, 157, 275; **cubensis**, 156; **Curtisii**, 150, 275; **eximius**, 148, 275; **flaviporus**, 147; **frustulosus**, 145; **fumosipes**, 154, 155, 275; **griseus**, 145; **hemichrysus**, 148; **inflexus**, 150, 275; **jububinus** *procerus*, 153; **Maxoni**, 219; **miniato-olivaceus**, 152, 275; **pallidus**, 152, 275; **parasiticus**, 148; **Peckii**, 151; **piperatus**, 150, 157; **retipes**, 145, 275; **Roxanae**, 153; **Russellii**, 141, 144, 275; **scaber**, 146, 150, 158; **scabripes**, 153; **sordidus**, 155, 157; **speciosus**, 151; **subglabripes**, 153; **subtomentosus**, 148, 275; **tabacinus**, 151; **tomentipes**, 154; **Vanderbiltianus**, 146
- Cerrena unicolor*, 169
- Chamaecyparis thyoides*, 240, 256
- Charonectria*, 20, 21, 45; *Pedicularis*, 46
- Chelone glabra*, 229
- Chenopodiaceae*, 235
- Chenopodium album*, 123, 235, 255; *hybridum*, 235
- Chilonectria Coryli*, 186; *crinigera*, 206; *Cucurbitula*, 198; *Rosellinii*, 201
- Chionanthus*, 200
- Chondrioderma*, 55
- Ciboria*, 105, 111; *sulphurella*, 111
- Cicuta maculata*, 237, 255
- Circinella umbellata*, 218
- Citrus*, 178, 191
- Cladonia rangiferina*, 100
- Clavaria brachiata*, 47; *Hypoxylon*, 273; *phalloides*, 123
- Clematis*, 248; *virginiana*, 236, 255
- Clethra*, 191
- Clitocybe multiceps*, 3
- Coker, W. C.*, *Leptolegnia* from North Carolina, 262
- Collema*, 87, 100
- Colletotrichum*, 115; *gossypii*, 115, 119
- Collybia velutipes*, 39, *pl.* 3
- Colorado, A notable species of *Gymnosporangium* from, 208
- Coltricia cinnamomea*, 164
- Comandra umbellata*, 232
- Composition of a desert lichen flora, The, 87
- Conferva ferax*, 125
- Coniferous and deciduous trees, Some fungi growing both on, 265
- Coprinus atramentarius*, 39; *comatus*, 38; *micaceus*, 39
- Corirolellus Kusanoi*, 165
- Coriolopsis badia*, 165
- Coriolus abietinus*, 165; *nigromarginatus*, 165; *prolificans*, 165; *versicolor*, 122, 165
- Cornus*, 185; *macrophyllas*, 166
- Corticium*, 268; *cinereum*, 266; *confluens*, 266; *evolvens*, 266; *velutinum*, 266
- Corylus*, 113, 187, 266; *sp.*, 268
- Coryne*, 105, 111; *sarcoides*, 111
- Cotton anthracnose, The perfect stage of the, 115
- Crataegus*, 179, 187, 201, 208, 240, 252; *Pringlei*, 239, 252, 255, 256; *punctata*, 238, 239, 253, 255; *sp.*, 239, 252, 255, 256
- Creonectria**, 177, 181, 183, 197; *atrofusca*, 183, 186; *coccinea*, 183, 188; *Coryli*, 183, 186; *Cucurbitula*, 184, 189; *diploa*, 184, 190; *grammicospora*, 184, 192; *mammoidea*, 183, 188; *nipigonensis*, 184, 189; *ochroleuca*, 184, 190; *pithoides*, 183, 187, 207; *purpurea*, 183, 184, 186; *rubicarpa*, 183, 187, 207; *seminicola*, 184, 191, 207; *tuberculariformis*, 184, 193; *verrucosa*, 183, 185
- Creonectriaceae, 43, 177
- Cricunopus*, 10; *luteus*, 10, 11
- Cruciferae, 235
- Cryptomeria*, 165, 167; *japonica*, 165, 169
- Cucurbitaria cinnabarina*, 184
- Cultures of Uredineae in 1908, 225
- Cupressus*, 57
- Cyclomyces fuscus*, 169
- Cytispora Castanea*, 122
- Daedalea Kusanoi*, 169; *merulioides*, 7; *quercina*, 170; *styracina*, 170; *unicolor*, 265

- Daedaleae, 169
 Dalea laxiflora, 231, 251
 Dasyscypha, 105, 110; nivea, 110
 Dasystoma flava, 232
 Deciduous trees, Some fungi growing both on coniferous and, 265
 Decodon verticillatus, 230, 232, 235
 Delphinium tricolor, 231
 Dermatea, 106, 113; furfuracea, 267; sp., 113
 Dermatocarpon, 94; compactum, 88; minutum, 88, 94; peltatum, 88; rufescens, 88; sp., 88
 Dialonectria, 42, 50, 198; consors, 61; depallens, 58; diminuta, 68; Eucalypti, 58; filicina, 61; fulvida, 70; gibberelloides, 66; sulphurea, 60; vulpina, 52
 Diatrype, 70
 Diatrypella, 189
 Dictyophora duplicata, 260
 Dictyopus, 15; felleus, 15
 Disca palustris, 231
 Discomycetes of North Dakota, 104
 Discosia on living bull pine seedlings, A species of, 215
 Discosia, 215; **Pini**, 216; strobilina, 215; virginiana, 215
 Distichlis spicata, 234, 255
 Dothidea Chamaeropsidis, 162
 Dothidiaceous fungi, Sphaerodothis, a new species of, 161
 Dulichium arundinaceum, 230

 Earliella corrugata, 165
 Echinodothis, 178, 202; tuberiformis, 202, 207
 Edgerton, C. W., The perfect stage of the cotton anthracnose, 115
 Eleocharis palustris, 233, 255
 Eleuthromyces, 44, 47; **Geoglossi**, 47, 48, 75; subulatus, 47, 75
 Elfvigia fomentaria, 168; lipsiensis, 168; megaloma, 168; tornata, 168
 Elymus, 248; canadensis, 124
 Encelia farinosa, 95
 Encoelia furfuracea, 268
 Endocarpiscum, 93, 95, 97; placodizans, 87
 Endocarpon, 94; Schaereri, 88
 Epichloe, 203
 Eriocorys, 8; strobilacea, 8, 9
 Eucalyptus, 58
 Euonymus, 185
 Eupatorium, 95; perfoliatum, 233, 255
 Euryporus, 5; cavipes, 5
 Evernia, 91

 Fagus, 188
 Falcata comosa, 272
 Favolus tenuis, 165
 Fenestella Xanthoxyli, 204

 Ficus carica, 116, 117
 Filling tree cavities, 77
 Fink, B., The composition of a desert lichen flora, 87; The problems of North American lichenology, 28
 Fistulina hepatica, 275; pallida, 275
 Fomes concentricus, 170; fraxineus, 168; fulvus, 170; Hartwigii, 265; igniarius, 170; japonicus, 170; musashiensis, 168; ramosus, 170; Ribis, 170; robustus, 265; ungulatus, 168; volvatus, 170
 Fomiteae, 167
 Formosa, A mushroom cultivated in, 274
 Four interesting species of moulds, 218
 Fragaria virginiana, 272
 Fraxinus, 123, 188, 200, 204, 206, 236; americana, 215; lanceolata, 236, 255
 Fungi growing both on coniferous and deciduous trees, Some, 265
 Fungi, Illustrations of, I, 1; II, 37; III, 83; IV, 257
 Fusarium, 20, 71, 194; episphaericum, 54; niveum, 72; vasinfectum, 71
 Fusicoccum castaneum, 122

 Galactinia, 105, 108; succosa, 108
 Galium, 270; boreale, 270; trifolium, 46
 Ganoderma amboinense, 168; flabelliforme, 168
 Gelsemium, 188
 Geoglossum, 48
 Geopyxis nebulosa, 105, 111
 Gibbera pulicaris, 196
 Gibberella, 44, 66, 177, 196; ficini, 197; pulicaris, 122, 196; Saubinetii, 197
 Gillenia stipulacea, 226, 253, 254
 Gleditschia, 206; triacanthos, 204
 Gliophyllum trabeum, 169
 Gloeosporium, 115
 Glomerella, 115, 116, 117, 118; fructigena, 117; **Gossypii**, 117, 120
 Gloniopsis, 106, 114; Gerardiana, 114
 Glonium, 106, 114; lineare, 114; parvulum, 114; stellatum, 114
 Gossypium barbadense, 72; herbaceum, 72, 119
 Grindelia squarrosa, 231
 Guignardia Bidwellii, 269
 Gyalecta, 31
 Gymnosporangium, 208, 209, 225, 226, 241, 252, 253; Betheli, 240, 256; bi-septatum, 240; Botryapites, 240, 256; clavariaeforme, 239, 255; clavipes, 239, 255; cornutum, 240,

- 256; *Davisii*, 227, 241, 242, 256; **exterum**, 254, 256; *globosum*, 239, 256; *inconspicuum*, 208; *juniperinum*, 241; *Juniperi-Virginianae*, 238, 256; *Libocedri*, 252, 256; **multiporum**, 210; *Nelsoni*, 239, 256; sp. nov., 253; *speciosum*, 210; *tremelloides*, 241
Gymnosporangium from Colorado, A notable species of, 208
Gyroporus, 4, 14; *castaneus*, 14, 275; *cyanescens*, 14, 15; *scaber*, 146
Hapalopilus gilvus, 166
Heald, F. D., A species of *Discosia* on living bull pine seedlings, 215
Helminthosporium graminum, 269
Helotium, 105, 110; *citrinum*, 110
Helvellinae, 104, 106
Heppia deserticola, 87; *virescens*, 87
Hibiscus, 178; *esculentus*, 72; *militaris*, 232; *Moscheutos*, 251; *syriacus*, 167
Hordeum vulgare, 269
Houstonia caerulea, 237, 238, 255
Hydnofomes tsugicola, 170
Hydrophyllum virginicum, 230, 231
Hymenomyces, 266
Hypholoma perplexum, 1; *sublateritium*, 1
Hypocrea, 203; *citrina*, 269; *perpusilla*, 50; *Richardsoni*, 268; *tuberculariformis*, 193; *tuberiformis*, 202
Hypocreaceae, 43
Hypocreales, 41, 43, 177
Hypocreales, Notes on North American—I, 19; of North America, The—I, 41; II, 177
Hypocrella, 203; *tuberiformis*, 202
Hypocrepopsis tuberculariformis, 193
Hypoderma, 106, 114; *aquilina*, 122; *scirpinum*, 114
Hypomyces, 48, 59; *Geoglossi*, 48; *Lactifluorum*, 122; *polyporinus*, 122
Hyponectria, 19, 20, 44, 45; *Buxi*, 20; *Cacti*, 21, 44, 45; *dakotensis*, 20, 22, 44, 45, 75; *Gossypii*, 19
Hypoxylon phoeniceum, 63
Hysteriinae, 104, 113
Hysterium, 113; *fagineum*, 124; *Fraxini*, 123
Hysterographium, 106, 114; *Fraxini*, 114, 123; *kansense*, 269; *Mori*, 114
Hysteropatella, 106, 113; *Prostii*, 113
Icmadophila, 31; (*Baeomyces*) *aeruginosa*, 31
Ilex, 188
Illustrations of fungi, I, 1; II, 37; III, 83; IV, 257
Inocybe infida, 211, 213
Ionotus dryophilus, 84
Ipomoea, 63; *pandurata*, 231
Iris, 230; *versicolor*, 230
Irpex consors, 166; *decurrens*, 169; *Kusanoi*, 169
Irpiciporus consors, 166; *japonicus*, 166; *Noharae*, 166; *Tanakae*, 167
Isaria brachiata, 47; *farinosa*, 74
Ischnoderma fuliginosum, 86
Isopyrum biternatum, 231
Iva frutescens, 231, 235, 243; *xanthiifolia*, 121
Ixocomus, 140; *badius*, 140; *granulatus*, 13; *luteus*, 11; *piperatus*, 150
Japan, Polyporaceae from, 164
Juniperus, 253; *californica utahensis*, 210; *communis*, 242; *occidentalis monosperma*, 210; *scopulorum*, 239, 240, 255, 256; *sibirica*, 239, 240, 241, 255, 256; *virginiana*, 215, 238, 239, 253, 254, 255
Kalmia, 9
Karschia, 106, 112; *lignyota*, 112; *taveliana*, 112
Kentucky, Boletaceae from, 275
Kern, F. D., A notable species of *Gymnosporangium* from Colorado, 208
Koeleria, 246; *cristata*, 246, 248, 256
Krombholzia, 140; *scabra*, 146
Kuhnia eupatorioides, 233, 254; *Hitchcockii*, 233, 254
Lachnea, 104, 107; *hemispherica*, 107; *scutellata*, 107; *setosa*, 107
Lacinaria punctata, 229; *spicata*, 230
Lactaria, 122, 218
Laetiporus speciosus, 167
Larix, 190, 242; *laricina*, 242, 256
Larrea tridentata, 95
Lasiobolus, 105, 109; *equinus*, 109
Lasionectria poliosa, 57
Lasmenia, 161
Laurus, 191
Lecanora, 31, 94; *atra*, 31; *calcarea contorta*, 88, 92; *cinera*, 92; *muralis*, 88, 91, 92
Leccinum, 4, 140; *aurantiacum*, 146; *constrictum*, 14; *edule*, 149; *lactifluum*, 13; *piperatum*, 150; *scabrum*, 146; *subtomentosum*, 153
Lenzites alutacea, 170; *betulina*, 169; *japonica*, 170; *saepiaria*, 170, 267; *variegata*, 170
Leptogium arizonicum, 87
Leptolegnia, 262; *caudata*, 262
Leptolegnia from North Carolina, 262
Lespedeza, 62
Letendreaa, 44, 74; *eurotioides*, 74; *luteola*, 74
Levison, J. J., Filling tree cavities, 77

- Libocedrus, 252; decurrens, 252, 256
 Lichen ericetorum, 31
 Lichen flora, The composition of a desert, 87
 Lichenology, The problems of North American, 28
 Ligustrum vulgare, 236
 Liquidambar, 200
 Lonicera, 187
 Lupinus, 58
 Lycoperdon cyathiforme, 257; gemmatum, 259; Wrightii, 260
 Lycopsis, 237; arvensis, 237, 255
 Lycopodium americanum, 234, 255; communis, 234, 255
 Lysimachia quadrifolia, 230
Macbridella, 177, 195; **chaetostroma**, 195; **striispora**, 195, 196
 Macrocalyx Nyctelea, 230
 Magnolia, 61, 188, 191
 Mahonia, 232, 246, 247; Aquifolium, 232, 247, 256
 Malaceae, 253
 Malus, 238; coronaria, 238, 255; Malus, 238, 239, 240, 255
 Massaria, 68; inquinans, 123
 Mattirolia chrysogramma, 206
 Medicago, 270
 Megalonectria, 177, 180; caespitosa, 181; pseudotrichia, 180, 207
 Melanospora, 44, 72, 161; albertensis, 242; chionea, 73, 75; (?) Helli, 182; lagenaria, 74; Medusae, 242, 256; parasitica, 73; Zamiae, 72
 Melia, 185, 186, 188
 Melilotus alba, 268
 Meliola, 69
 Menispermum canadensis, 125
 Microcera coccophila, 180
 Microsphaera Alni, 269
 Mitrella phalloides, 123
 Mollisia, 106, 112; cinerea, 112, 123; Dehnii, 112
 Monolepis Nuttalliana, 235
 Morchella, 104, 106; esculenta, 106
 Morus, 185, 186
 Moulds, Four interesting species of, 218
 Mucor circinelloides, 219; rufescens, 218
 Muhlenbergia, 251, 252; glomerata, 251, 256; mexicana, 251
 Murrill, W. A., A mushroom cultivated in Formosa, 274; A new boletus from tropical America, 218; A new poisonous mushroom, 211; Boletaceae from Kentucky, 275; Illustrations of fungi, I, 1; II, 37; III, 83; IV, 257; Polyporaceae from Japan, 164; The Boletaceae of North America, I, 4; II, 140
 Musa, 66, 67, 191
 Mushroom, A new poisonous, 211; cultivated in Formosa, A, 274
 Mycological herbarium, Noteworthy additions to, 218, 274
 Myrica cerifera, 243
 Napaea dioica, 230, 231, 232
 Nectria, 20, 42, 44, 48, 49, 50, 63, 66, 67, 71, 183; aglaethele, 180; Apocyni, 51, 59, 76; athroa, 64, 65; atrofusca, 186; aurantiicola, 180; aureofulva, 190, 191; auriger, 200; Bainii, 194; balsamea, 200; betulina, 52; bicolor, 54, 76; Brassicae, 51, 62, 63, 76; canadensis, 199; chaetostroma, 195; cinnabarina, 184; citisporina, 194; coccicola, 198; coccinea, 188, 194; conigena, 51, 61, 75, 76; consors, 51, 61; Coryli, 186, 201; cylindrospora, 198; depallens, 58, 76; depauperata, 190, 191; diploa, 190; diploa diminuta, 68; diplocarpa, 50, 53, 76; dispersa, 51, 57; ditissima, 189, 194; episphaeria, 51, 62, 64, 75, 76, 190, 270; erubescens, 62; Eucalypti, 51, 58, 76; filicina, 61, 76; **flavociliata**, 50, 54, 76; (Calonectria) fulvida, 70; gibberelloides, 66; graminispora, 192; infusaria, 194; Ipomoeae, 194; lactea, 51, 54, 76; lasioderma, 52; mammoidea, 188; Meliae, 184, 185; microspora, 194; missouriensis, 205; muscivora, 193; mycetophila, 48; nigrescens, 184, 185; nipigonensis, 189; ochroleuca, 190; offuscata, 184, 185; pallida, 190, 191; **Papilionacearum**, 51, 62, 63, 75, 76; peponum, 46; perpusilla, 46, 50; Peziza, 50, 52, 54, 55, 57, 62, 67, 75, 76; pithoides, 187; poliosa, 57; polythalamia, 200; pseudotrichia, 180; purpurea, 184; pyrrhochlora, 203; Rexiana, 51, 55, 76; rhizogena, 190; Ribis, 205, 271; riminicola, 52; Rousselliana, 48; rubefaciens, 51, 56, 76; rubicarpa, 187; Russellii, 184, 185; Sambuci, 184, 185; sanguinea, 46, 51, 63, 65, 75, 76; **seminicola**, 21, 22, 191, 270; (Lasionelectria) setosa, 66; sphaerospora, 206; squamulosa, 51, 55, 76; striispora, 196; subcoccinea, 180; sulphurata, 48; sulphurea, 49, 51, 54, 60, 76; thujana, 51, 56, 76; tremelloides, 50, 53, 76; trichospora, 69; truncata, 60, 76; tuberculariformis, 193; Umbellulariae, 52; verrucosa, 185; viticola, 64; vulgaris, 190, 191; vulpina, 52
 Nectriaceae, 43

- Nectrieae, 42, 43, 44, 177
 Nectriella, 19, 44, 45, 47, 48, 49, 181;
 Cacti, 19, 45; *Fuckelii*, 45; *miltina*,
 182; *mycetophila*, 49; **Pedicularis**,
 45, 46; **peponum**, 45, 46; tra-
 cheiphila, 72
 Neocosmospora, 44, 71; *vasinfecta*, 71;
 vasinfecta nivea, 72; *vasinfecta tra-*
 cheiphila, 72
 Neowashingtonia filamentosa, 162
 New boletus from tropical America,
 A, 218
 New genus of dothideaceous fungi,
 Sphaerodothis, a, 161
 New poisonous mushroom, A, 211
 North America, The Boletaceae of, I,
 4; II, 140; The Hypocreales of, I,
 41; II, 177
 North American Hypocreales, Notes
 on, I, 19; Lichenology, The prob-
 lems of, 28
 North Carolina, *Leptogorgia* from, 262
 North Dakota, *Discomycetes* of, 104
 Notes on North American Hypo-
 creales—I, 19
 Noteworthy additions to the myco-
 logical herbarium, 218, 274

 Ochroporus fulvus, 265
 Oidium, 71
 Onagra biennis, 233, 254
 Onoclea sensibilis, 122
 Ophionectria, 42, 44, 69, 197; *cerea*,
 69, 71; *coccicola*, 198; **cylindro-**
 thecia, 69, 70, 75; *Everhartii*, 70;
 scolecospora, 197, 198
 Opuntia, 20, 45
 Oxygraphis, 246; *Cymbalaria*, 246,
 256
 Panaeolus papilionaceus, 211, 212
 Pandanus, 167
 Panicum capillare, 230; *virgatum*,
 232
 Parkinsonia microphylla, 98
 Parmelia, 31, 53, 94; *acetabulum*,
 100; *caperata*, 94; *conspersa*, 88,
 91, 92, 93; *tiliacea*, 56
 Parodiella, 62, 63
 Paronectria missouriensis, 205
 Pasama cuspidata, 169
 Patellaria, 106, 112, 113; *atrata*, 112;
 clavispora, 113; *fenestrata*, 121
 Paxillus porosus, 7
 Peach, A bacterial disease of the, 23
 Peckiella Geoglossi, 48
 Pedicularis crenata, 46
 Pentstemon hirsutus, 231, 232
 Perfect stage of the cotton anthrac-
 nose, The, 115
 Peronospora calotheca, 270; *Den-*
 tariae, 270; *effusa*, 123; *Halstedii*,
 124; *Kellermanii*, 121; *parasitica*,
 270; *pygmaea*, 271; *trifolium*, 270;
 viticola, 271
 Peziza, 105, 108; *badia*, 108; *cinerea*,
 123; *craterium*, 273; *furfuracea*,
 268; *hydrophora*, 52; *repanda*, 108;
 Tiliae, 108; *vesiculosa*, 108; vul-
 pina, 52
 Pezizineae, 104, 107
 Phacelia bipinnatifida, 231
 Phacidiineae, 104, 113
 Phaeonectria, 74, 195
 Phaeopezia, 106, 111; *fuscocarpa*,
 111
 Phialea, 105, 111; *Urticae*, 111
 Phleum pratense, 231
 Pholiota adiposa, 83; *lutea*, 84; *spec-*
 tabilis, 85; *squarrosa*, 266
 Phoma uvicula, 269
 Phragmidium, 209, 253
 Phylitaena arcuata, 124
 Phyllachora graminis, 124
 Phyllosticta Labruscae, 269; *Smilacis*,
 124; *viticola*, 269
 Physalospora, 118; *aurantia*, 271
 Physcia, 98; *fastigiata*, 31; sp., 88
 Picea excelsa, 265
 Pilobolus longipes, 218
 Pine seedlings, A species of *Discosia*
 on living, 215
 Pinus, 190, 198, 266; *abies*, 265, 266;
 palustris, 148; *ponderosa*, 215, 216,
 217; *silvestris*, 265
 Pinuzza, 4, 10
 Piptoporus suberosus, 167
 Placodium, 94, 98; *amabile*, 88;
 brachylobum, 88; *cinnabarinum*,
 88; *elegans*, 30, 88, 91, 93; *lobula-*
 tum, 88; *murorum*, 88, 91
 Plasmopora, 271; *Kellermanii*, 121;
 viticola, 271
 Platanus, 178, 191
 Pleonectria, 203; *berolinensis*, 205,
 271; *denigrata*, 204; *missouriensis*,
 205; *pyrrhochlora*, 204; *Ribis*, 205,
 271
 Pleurotus sapidus, 257
 Pluteus cervinus, 38
 Poa, 248
 Poisonous mushroom, A new, 211
 Polemonium reptans, 231
 Polygonum, 248
 Polyporaceae, 4, 169, 265
 Polyporaceae from Japan, 164
 Polyporeae, 164
 Polyporus, 55, 74; *adustus*, 265; *arcu-*
 larius, 167; *benzoinus*, 266; *cele-*
 bicus, 167; *cinnabarinus*, 170; *Dick-*
 insii, 167, 170; *fumosus*, 265; *gi-*
 ganteus, 265; *glaucotus*, 170; *hel-*
 veolus, 266; *illicicola*, 166, 170;
 marginatus, 266; *membranaceus*,
 170; *ochrotinctus*, 170; *officinalis*,

- 170; *pellucidus*, 170; *Perula*, 167; *pinicola*, 266; *Pocas*, 170; *Pocula*, 170; *resinosus*, 266; *rotundatus*, 266; *salignus*, 265; *scanicus*, 265; *Schweinitzii*, 170; *Shenoi*, 170; *Shiraianus*, 170; *vernicipes*, 170; *versicolor*, 122; *zonatus*, 265
- Polystictus Cryptomeriae*, 170; *Ikenoi*, 170; *pellucidus*, 165
- Populus*, 185, 187; *nigra pyramidalis*, 164; *tremuloides*, 49, 113, 122, 242, 256, 268, 272
- Porteranthus*, 226, 253; *stipulatus*, 226, 229, 253, 254, 256
- Portulaca oleracea*, 121
- Problems of North American lichenology, The, 28
- Propolis*, 106, 113; *faginea*, 113, 124
- Prunus*, 166, 167, 168, 185; *sp.*, 165
- Pseudonectria***, 44, 47, 48; ***sulphurata***, 48
- Pseudopeziza*, 106, 112; *Medicaginis*, 112
- Pseudovalia Xanthoxyli*, 204
- Psoralea Onobrychis*, 231
- Puccinellia airoides*, 246, 256
- Puccinia*, 209, 229, 230; *Absinthii*, 243, 256; *Agrostidis*, 250; ***alternans***, 248, 256; *angustata*, 234, 255; *asperifolia*, 236, 255; *Asteris*, 232; *Caricis-Asteris*, 230; *Caricis-Solidaginis*, 233, 255; *cinerea*, 246, 256; *dochmia*, 252; *Dolichii*, 230; *Eleocharidis*, 233, 255; *Ellisiana*, 231; *emaculata*, 230; *fraxinata*, 236, 255; ***Koeleriae***, 247, 256; *Kuhniae*, 233, 254; ***macrospora***, 244, 256; *Muhlenbergiae*, 251, 252, 256; ***obliterata***, 250, 256; on *Agropyron*, 249; on *Bromus*, 248; on *Carex comosa*, 243; on *Carex gravida*, 230; on *Carex pennsylvanica*, 229; on *Carex pratensis*, 245; on *Carex sp.*, 246; on *Koleria cristata*, 246; ***patruelis***, 245, 256; *Peckii*, 233, 254; *poculiformis*, 231, 232, 246; *Pruni-spinosae*, 248; *quadriporela*, 230; *rubigo-vera*, 225, 237; *Sambuci*, 233, 255; *Schedonnardi*, 231; *Seymouriana*, 236, 255; *subnitens*, 228, 234, 255; *tomipara*, 236, 248, 255; *Troximontis*, 245; *vexans*, 237; *vulpinoidis*, 229
- Pulveroboletus*, 4, 9; ***Ravenelii***, 9
- Pycnoporellus fibrillosus*, 170
- Pycnoporus sanguineus*, 167
- Pyrenopsis*, 94; *Schaereri*, 87
- Pyrenula*, 30; *verrucosa*, 30
- Pyronema*, 104, 107, 131, 135, 136, 137; *confluens*, 132, 136; *omphalodes*, 107, 132, 133, 135, 138, 139
- Pyronema*, Studies in pyrophilous fungi, I, The occurrence and cultivation of, 131
- Pyropolyporus fastuosus*, 169
- Pyrus*, 185; *communis*, 240
- Quercus*, 185; *aliena*, 167; *cuspidata*, 274; *sp.*, 166, 269
- Radulum orbiculare*, 266
- Ramalina calicaris*, 31
- Ramularia Fragariae*, 272; *Tuslasnei*, 272
- Ranunculus Cymbalaria*, 246
- Rhododendron*, 9
- Rhodoporus*, 15; *felleus*, 15
- Rhus*, 185, 187
- Rhynchosia*, 62
- Rhysotheca Halstedii*, 124; *viticola*, 271
- Rhytisma salicinum*, 272
- Ribes*, 185, 205; *Cynosbati*, 242; *rubrum*, 242
- Rinodina*, 31; *atra*, 31
- Robinia*, 185
- Roestelia*, 226, 252, 253; *cornuta*, 227; *lacerata*, 226; *penicillata*, 227, 241
- Romell, L., Some fungi growing both on coniferous and deciduous trees, 265
- Rorer, J. B., A bacterial disease of the peach, 23
- Rostkovites*, 4, 12; *americanus*, 12; *granulatus*, 11, 12, 13, 219, 275; ***hirtellus***, 12, 14; ***subaureus***, 13, 14; *subtomentosus*, 154
- Rubus*, 185
- Rudbeckia laciniata*, 229, 230, 251
- Russula*, 218
- Sabina monosperma*, 208, 210; *utahensis*, 208, 210
- Saccobolus*, 105, 110; *Kerverni*, 110; *violascens*, 110
- Salix*, 179, 187, 191, 266; *sp.*, 272
- Sambucus*, 185; *canadensis*, 233, 255
- Saprolegnia*, 262; *ferax*, 125
- Sarcobatus*, 235, 236; *vermiculatus*, 235, 255
- Sarcoscypha*, 104, 107; *coccinea*, 107; *occidentalis*, 108
- Sassafras*, 186
- Schedonnardus paniculatus*, 231
- Scirpus*, 114; *atrovirens*, 234; *cyperinus*, 234, 255; *fluvialis*, 237, 255;
- Scleroderma*, 148
- Scolecconectria***, 177, 197; ***Atkinsonii***, 201; ***balsamea***, 198, 200; ***canadensis***, 197, 199, 207; ***coccicola***, 197, 198; ***polythalamia***, 197, 200; ***scolecospora***, 197, 198, 201
- Scrophularia marylandica*, 272
- Seaver, F. J., Discomycetes of North

- Dakota, 104; Notes on North American Hypocreales, I, 19; Studies in pyrophilous fungi, I, The occurrence and cultivation of Pyronema, 131; The Hypocreales of North America, I, 41; II, 177; Wilson, G. W., & Ascomycetes and lower fungi, Fascicle II, 121; III, 268
- Secale cereale*, 236, 255
- Senecio obovatus*, 229, 230
- Septoria Scrophulariae*, 272
- Shear, C. L., *Sphaerodothis*, a new genus of dothidiaceous fungi, 161
- Sisyrinchium*, 237, 238; *gramineum*, 237, 238, 255; *graminoides*, 237
- Smilax*, 228, 243, 244; *hispida*, 230, 231, 236, 243, 244, 256; *rotundifolia*, 124, 125, 243, 244
- Solanum*, 63
- Solidago canadensis*, 233, 255
- Some fungi growing both on coniferous and deciduous trees, 265
- Sorbus*, 241, 242, 266; *americana*, 239, 240, 241, 255, 256; *Aria*, 242; *Aucuparia*, 242; *hybrida*, 242; *terminalis*, 242
- Spartina cynosuroides*, 236, 255; *polystachya*, 236, 255; *stricta*, 236, 255
- Spathyema foetida*, 20, 22, 192, 270
- Species of *Discosia* on living bull pine seedlings, A, 215
- Sphaerella Fragariae*, 272
- Sphaeria*, 40, 64; *aquilina*, 122; *atrofusca*, 186; *Buxi*, 44; *Celastris*, 184, 185; *cerea*, 69; *chionea*, 73; *cinnabarina*, 184; *coccinea*, 188; *decidua*, 188; *dematiota*, 184, 185; *epi-sphaeria*, 65, 270; *erubescens*, 67; *graminis*, 124; *Hypoxylon*, 273; *inquinans*, 123; *Lactifluorum*, 122; *lagenaria*, 74, 161; *musci-vora*, 193; *ochroleuca*, 190, 191; *Peziza*, 50, 52; *pseudotrichia*, 180; *pulicaris*, 122, 196; *Quercuum*, 268; *sanguinea*, 63; *Saubinetii*, 197; *subulata*, 47; *tremelloides*, 184; *verrucosa*, 185
- Sphaeroderma*, 182; *Helleri*, 182
- Sphaerodermatella***, 182; **Helleri**, 182
- Sphaerodothis***, 161, 162; ***Chamaeopsis***, 162; ***densa***, 163; ***Guilielmae***, 163; ***Neowashingtoniae***, 162; ***palmicola***, 162; ***rimosa***, 162
- Sphaerodothis*, a new genus of dothidiaceous Fungi, 161
- Sphaeronema parasitica*, 73; *subulatum*, 47
- Sphaeropsis Linderae*, 125; *Menispermis*, 125; *Smilacis*, 125
- Sphaerostilbe*, 177, 178, 180; *cinnabarina*, 179; *coccophila*, 180, 194; *flammea*, 178, 179; *gracilipes*, 178; *pseudotrichia*, 181
- Spiraea stipulata*, 254
- Staphylea trifolia*, 186
- Stereum*, 55, 60; *ferrugineum*, 266; *rubiginosum*, 266; *tabacinum*, 266
- Stigmatella Fragariae*, 272
- Stilbum aurantiacum*, 178; (*Atractium*) *cinnabarinum*, 179; *corynoides*, 178; *flammeum*, 179; *gracilipes*, 178
- St[r]ilbum gracilipes*, 178, 179
- Strobilomyces*, 4, 8, 9; *strobilaceus*, 8, 275
- Studies in pyrophilous fungi, I, The occurrence and cultivation of *Pyronema*, 131
- Styrax Obassia*, 169
- Suillellus***, 5, 16; ***Frostii***, 17, 275; ***luridus***, 16, 17, 275
- Suillus*, 4, 10, 14; *annulatus*, 10; *bulbosus*, 149; *castaneus*, 14; *cyane-scens*, 14
- Sumstine, D. R., Four interesting species of moulds, 218
- Symphoricarpus occidentalis*, 112; *racemosa*, 231
- Symphoricarpus*, 187
- Synchitrium aecidioides*, 272; *decipiens*, 272; *fulgens decipiens*, 272
- Synechoblastus coccophorus*, 81
- Syringa vulgaris*, 269
- Taphrina Johansonii*, 272
- Teloschistes modestus*, 88; *parietinus*, 100
- Thalictrum*, 248, 249; *dioicum*, 231, 236, 248, 249, 256; *occidentale*, 249; *polygamum*, 231; *sparsiflorum*, 248, 249; *venulosum*, 249
- Thamnidium elegans*, 218
- Thecotheus*, 105, 109; *Pelletieri*, 109
- Thelephoreae*, 266
- Thyronectria*, 178, 203, 206; ***berolinensis***, 203, 205; *chrysogramma*, 206; ***denigrata***, 203, 204; ***missouriensis***, 203, 205; *Patavina*, 203; *pyrrhochlora*, 203; *sphaerospora*, 203, 206; *virens*, 204; *Xanthoxylis*, 204
- Thyronectroidea***, 178, 206; ***chrysogramma***, 206
- Tilia*, 185, 201; *americana*, 110, 125, 269
- Tiliae*, 110, 125
- Trametes Dickinsii*, 167; *Mülleri*, 168; *nitida*, 167; *styracicola*, 170
- Tranzschelia punctata*, 248
- Tremella juniperina*, 241; *purpurea*, 183, 184
- Tricholoma equestre*, 2

- Trichopeziza, 105, 110; sulphurea, 110
 Trifolium, 270
 Triticum, 248
 Tropical America, A new boletus from, 218
 Troximon glaucum, 245
 Tsuga, 167
 Tubercularia, 183; vulgaris, 184
 Tubiporus, 10, 140; annulatus, 10, 11; edulis, 140
 Tylopilus, 5, 15; **alboater**, 15, 16; felleus, 15, 16, 157, 275; **gracilis**, 15, 16; **indecisus**, 15, 275
 Ulmus, 185, 188, 199; americana, 207
 Uredineae, 225
 Uredineae in 1908, Culture of, 225
 Uredo aecidioides, 272; bliti, 121; Peckii, 272; Portulacae, 121
 Urnula, 104, 108; craterium, 108, 273
 Uromyces, 209; Andropogonis, 232; graminicola, 232; houstoniatus, 237, 255; Murrillii, 237; Scirpi, 237, 255
 Urtica gracilis, 243; sp., 193
 Valsa Xanthoxyli, 203
 Verbena urticifolia, 231
 Vernonia arkansana, 230
 Verrucaria, 30, 31, 94; fuscella, 88; nigrescens, 88
 Versipellis, 140; chrysenteron, 155; parasitica, 148; subtomentosus, 154; variegata, 140
 Verticillium, 183; tubercularioide, 190, 191
 Viburnum dentatum, 123
 Vigna sinensis, 72
 Viola, 232; cucullata, 229, 232
 Viscipellis, 10; granulata, 13; luteus, 11; piperata, 150; sphaerocephala, 10
 Vitis vulpina, 269, 271
 Whitfordia **musashiensis**, 168
 Wilson, G. W., & Seaver, F. J., Ascomycetes and lower fungi—Fascicle II, 121; III, 268
 Xanthoxylum, 114, 204; americanum, 251
 Xerocomus, 140; chrysenteron, 155; impolitus, 140; parasiticus, 148; subtomentosus, 154
 Xylaria Hypoxylon, 273
 Xyloma salicinum, 272
 Yucca, 182, 191
 Zea Mays, 66, 70, 122